

Printing date 09.01.2023

Version number 5 (replaces version 4)

Revision: 09.01.2023

1 Identification of the substance/mixture and of the company/undertaking
Product identifier
Trade name: <u>Vido Profi Goldbad</u>
Article number: 155970
Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
Application of the substance / the mixture Cleaning material/ Detergent
Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Vido Steinchemie GmbH Heinrich-Barth-Str. 29 53881 Euskirchen Deutschland Tel: +49 2251 79336-12 Fax: +49 2251 79336-13 Email: info@vido.de

• Further information obtainable from: Abteilung Produktsicherheit

• Emergency telephone number: +49-(0)551-19240 - Giftnotrufzentrale Göttingen

2 Hazards identification

· Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 health hazard Carc. 2 H351 Suspected of causing cancer. Repr. 2 H361d Suspected of damaging the unborn child. corrosion Eye Dam. 1 H318 Causes serious eye damage. Skin Irrit. 2 H315 Causes skin irritation. Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. · Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. · Hazard pictograms GHS05 GHS08 · Signal word Danger (Contd. on page 2) GB

Printing date 09.01.2023

✓ ido[®] Steinchemie

Version number 5 (replaces version 4)

Revision: 09.01.2023

Trade name: Vido Profi Goldbad

(Contd. of page 1)
ning components of labelling:
polyglykolether 7 ÉO
nts
kin irritation.
erious eye damage.
d of causing cancer.
d of damaging the unborn child.
to aquatic life with long lasting effects.
tatements
If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read carefully and follow all instructions.
38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.
Specific treatment (see on this label).
Take off contaminated clothing and wash it before reuse.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

• *PBT:* Not applicable.

• **vPvB:** Not applicable.

3 Composition/information on ingredients

• Mixtures

[·] Description: Mixture of substances listed below with nonhazardous additions.

[·] Dangerous components: CAS: 62-56-6 thiourea ≥3-≤10% Carc. 2, H351; Repr. 2, H361d;
 Aquatic Chronic 2, H411;
 Acute Tox. 4, H302 EINECS: 200-543-5 CAS: 67-63-0 propan-2-ol >2.5-<10% EINECS: 200-661-7 🚸 Flam. Liq. 2, H225; 🚸 Eye Irrit. 2, H319; STOT SE 3, H336 CAS: 111-76-2 2-butoxyethanol >2.5-<10% EINECS: 203-905-0 () Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319 ATE: LD50 oral: 1,200 mg/kg CAS: 78330-20-8 C10 Fettalkoholpolyglykolether 7 EO *≥*3–*≤*10% ♦ Eye Dam. 1, H318; Acute Tox. 4, H302 CAS: 7664-38-2 phosphoric acid >2.5-<10% EINECS: 231-633-2

Skin Corr. 1B. H314 Specific concentration limits: Skin Corr. 1B; H314: $C \ge 25 \%$ *Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eve Irrit. 2; H319: 10 % ≤ C < 25 %* Regulation (EC) No 648/2004 on detergents / Labelling for contents non-ionic surfactants, phosphates <5% perfumes (HEXYL CINNAMAL, LINALOOL, BUTYLPHENYL METHYLPROPIONAL) (Contd. on page 3)



Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.01.2023

Version number 5 (replaces version 4)

Revision: 09.01.2023

Trade name: Vido Profi Goldbad

• Additional information: For the wording of the listed hazard phrases refer to section 16.

(Contd. of page 2)

4 First aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions:
- Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water.

- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

- Dispose contaminated material as waste according to item 13.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- *Precautions for safe handling* Open and handle receptacle with care.
- · Information about fire and explosion protection: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.

(Contd. on page 4)

Printing date 09.01.2023

Vido[®] Steinchemie

Version number 5 (replaces version 4)

Revision: 09.01.2023

(Contd. of page 3)

Trade name: Vido Profi Goldbad

• Storage class: 10

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

•	Control	parameters
---	---------	------------

Control parameters
· Ingredients with limit values that require monitoring at the workplace:
CAS: 67-63-0 propan-2-ol
WEL Short-term value: 1250 mg/m ³ , 500 ppm
Long-term value: 999 mg/m ³ , 400 ppm
CAS: 111-76-2 2-butoxyethanol
WEL Short-term value: 246 mg/m ³ , 50 ppm
Long-term value: 123 mg/m ³ , 25 ppm
Sk, BMGV
CAS: 7664-38-2 phosphoric acid
WEL Short-term value: 2 mg/m ³
Long-term value: 1 mg/m ³
· Ingredients with biological limit values:
CAS: 111-76-2 2-butoxyethanol
BMGV 240 mmol/mol creatinine
Medium: urine
Sampling time: post shift
Parameter: butoxyacetic acid
• Additional information: The lists valid during the making were used as basis.

- · Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the skin. Avoid contact with the eyes and skin.

- **Respiratory protection:** Not required.
- · Hand protection



Protective gloves

Suitable chemical resistent protective gloves (EN374) also at prolonged, direct contact (recommended protection index 6, corresponding 480 minutes permeation time according to EN 374) e.g. from Nitrilkautschuk (0,33-0,5 mm) Polyvinylchlorid (1mm).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the



Printing date 09.01.2023

Version number 5 (replaces version 4)

Revision: 09.01.2023

Trade name: Vido Profi Goldbad

(Contd. of page 4)

resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• *Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.*

· Eye/face protection



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties

Information on basic physical and chemical prop	perties
General Information	
Physical state	Fluid
Colour:	Colourless
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	82 °C (CAS: 67-63-0 propan-2-ol)
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	40 °C
Ignition temperature:	240 °C (CAS: 111-76-2 2-butoxyethanol)
Decomposition temperature:	Not determined.
pH at 20 °C	1.5
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	23 hPa (CAS: 7732-18-5 water, distilled, conductivity o
	of similar purity)
Density and/or relative density	
Density at 20 °C:	1.021 g/cm^3
Relative density	Not determined.
Vapour density	Not determined.
x v	1101 webel milleu.
Other information	
Appearance:	
Form:	Fluid
Important information on protection of health an	nd
environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
Organic solvents:	12.1 %
	(Contd. on page
	(conta: on page



GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.01.2023

Version number 5 (replaces version 4)

Revision: 09.01.2023

Trade name: Vido Profi Goldbad

		(Contd. of page
VOC (EC)	12.05 %	
Solids content:	13.6 %	
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical hazard	classes	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

• Information on hazard classes as defined in Regulation (EC) No 1272/2008 • Acute toxicity Based on available data, the classification criteria are not met

· LD/LC50	values rele	evant for classification:	
ATE (Acı	te Toxicity	y Estimates)	
Oral	LD50	6,061–6,329 mg/kg	
Inhalative	e LC50/4 h	183 mg/l	
CAS: 62-	56-6 thiour	rea	
Oral	LD50	2,000–2,500 mg/kg (rat)	
Dermal	LD50	2,800 mg/kg (rabbit)	
CAS: 67-	63-0 propai	n-2-ol	
Oral	LD50	5,045 mg/kg (rat)	
Dermal	LD50	12,800 mg/kg (rabbit)	
	•	(Contd. on	page 🤅



Printing date 09.01.2023

Version number 5 (replaces version 4)

Revision: 09.01.2023

Trade name: Vido Profi Goldbad

			(Contd. of page 6)
Inhalative	LC50/4	h 30 mg/l (rat)	
CAS: 111-	76-2 2-ь	utoxyethanol	
Oral	LD50	1,200 mg/kg (ATE)	
		1,480 mg/kg (rat)	
Dermal	LD50	mg/kg (rabbit)	
Causes ski. • Serious ey. • Carcinoge • Reproduct • Informatio	st "corros n irritatio e damag nicity Su ive toxici on on oth	sive": negative for comparable Product. on. e/ irritation Causes serious eye damage. spected of causing cancer. ity Suspected of damaging the unborn child. her hazards	
· Endocrine	disrupti	ng properties	
CAS: 80-5	4-6 J	p-t-Butyl-alpha-methylhydrocinnamic aldehyde	List II
CAS: 2114	5-77-7 0	5-Acetyl-1,1,2,4,4,7-hexamethyltetraline	List II

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability

The surfactants contained in the product correspond to the legislation on the environmental compatibility of detergents and are biodegradable.

- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

• Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

- Other adverse effects
- · Remark: Harmful to fish
- · Additional ecological information:

· General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even extremely small quantities leak into the ground.

Harmful to aquatic organisms

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 8)

⁻⁻⁻⁻GB



Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.01.2023

Version number 5 (replaces version 4)

Revision: 09.01.2023

Trade name: Vido Profi Goldbad

• *Recommended cleansing agents: Water, if necessary together with cleansing agents.*

UN number or ID number	, ,	
ADR, IMDG, IATA	no dangerous good	
UN proper shipping name ADR, IMDG, IATA	no dangerous good	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	no dangerous good	
Packing group		
ADR, ĬMDG, IATA	no dangerous good	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Maritime transport in bulk according	g to IMO	
instruments	Not applicable.	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H336 May cause drowsiness or dizziness.
- H351 Suspected of causing cancer.
- H361d Suspected of damaging the unborn child.
- H411 Toxic to aquatic life with long lasting effects.

• Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

(Contd. on page 9)

⁻ GB



Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.01.2023

Version number 5 (replaces version 4)

Revision: 09.01.2023

(Contd. of page 8)

Trade name: Vido Profi Goldbad

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Carc. 2: Carcinogenicity – Category 2 Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 • * Data compared to the previous version altered.