

Printing date 16.03.2018 Version number 3 Revision: 16.03.2018

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name:

Rhodinette elektrolytische Entfettung, Elektrolytische Entfettung ZFM-Loesung,

Rhodinette - Abkochentfettung, Elektrolytische Entfettung ZFR

Rhodinette electrolytic degreaser, Electrolytic degreaser ZFM solution, Rhodinette hot degreaser, Electrolytic degreaser ZFR

- · Article number: 3040400102, 3010400302, 3010400202, 3170400202
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Degreasing agent
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Wieland Edelmetalle GmbH

Schwenninger Str. 13

75179 Pforzheim

Telefon +49 (07231)-1393-0, Telefax +49 (07231)-1393-100

· Further information obtainable from:

Wieland Edelmetalle GmbH www.wieland-edelmetalle.de msds@wieland-edelmetalle.de

1.4 Emergency telephone number:

Emergency CONTACT (24-Hour-Number):GBK GmbH +49 (0)6132-84463

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labelling:

disodium metasilicate

· Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe dusts or mists.

P280 Wear protective gloves / eye protection / face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

(Contd. on page 2)



Printing date 16.03.2018 Version number 3 Revision: 16.03.2018

Trade name: Rhodinette elektrolytische Entfettung, Elektrolytische Entfettung ZFM-Loesung, Rhodinette - Abkochentfettung, Elektrolytische Entfettung ZFR

(Contd. of page 1)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

#### **SECTION 3: Composition/information on ingredients**

- 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
	sodium carbonate	1-<3%
EINECS: 207-838-8	♦ Eye Irrit. 2, H319	
	disodium metasilicate	1-<3%
EINECS: 229-912-9	Skin Corr. 1B, H314; 🗘 Acute Tox. 4, H302; STOT SE 3, H335	

<sup>•</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)



Printing date 16.03.2018 Version number 3 Revision: 16.03.2018

Trade name: Rhodinette elektrolytische Entfettung, Elektrolytische Entfettung ZFM-Loesung, Rhodinette - Abkochentfettung, Elektrolytische Entfettung ZFR

(Contd. of page 2)

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections No dangerous substances are released.

### **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Storage class: 8 B
- 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- **Respiratory protection:** Not necessary if room is well-ventilated.
- · Protection of hands:

Plastic gloves



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

Butyl rubber, BR

Fluorocarbon rubber (Viton)

Nitrile rubber, NBR

Natural rubber, NR

Chloroprene rubber, CR

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Not suitable are gloves made of the following materials:

Strong material gloves

Leather gloves

(Contd. on page 4)



Printing date 16.03.2018 Version number 3 Revision: 16.03.2018

Trade name: Rhodinette elektrolytische Entfettung, Elektrolytische Entfettung ZFM-Loesung, Rhodinette - Abkochentfettung, Elektrolytische Entfettung ZFR

(Contd. of page 3)

· Eye protection:



Tightly sealed goggles

· **Body protection:** Protective work clothing

### **SECTION 9: Physical and chemical properties**

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid
Colour: Colourless
Odour: Characteristic

· pH-value at 20 °C:

· Change in condition

Melting point/freezing point: 0 °C Initial boiling point and boiling range: 100 °C

· Flash point: Not applicable.

• **Auto-ignition temperature:** Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

ca. 12

• **Density at 20 °C:** 1,03 g/cm<sup>3</sup>

· Solubility in / Miscibility with

water: Fully miscible.

· Solvent content:

Organic solvents: 0,0 % Water: > 90 %

• **9.2 Other information** No further relevant information available.

### **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions Reacts with strong acids.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

- 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

**ATE (Acute Toxicity Estimates)** 

Oral LD50 91,429 mg/kg (rat)

(Contd. on page 5)



Printing date 16.03.2018 Version number 3 Revision: 16.03.2018

Trade name: Rhodinette elektrolytische Entfettung, Elektrolytische Entfettung ZFM-Loesung, Rhodinette - Abkochentfettung, Elektrolytische Entfettung ZFR

(Contd. of page 4)

- Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eye damage.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- Recommendation

Must be specially treated adhering to official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

Packaging may be reused or recycled after cleaning.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

### **SECTION 14: Transport information**

· 14.1 UN-Number

· ADR, IMDG, IATA UN3266

· 14.2 UN proper shipping name

· ADR 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (DISODIUM TRIOXOSILICATE)

(Contd. on page 6)



Printing date 16.03.2018 Version number 3 Revision: 16.03.2018

Trade name: Rhodinette elektrolytische Entfettung, Elektrolytische Entfettung ZFM-Loesung, Rhodinette - Abkochentfettung, Elektrolytische Entfettung ZFR

(Contd. of page 5) · IMDG, IATA CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (DISODIUM TRIOXOSILICATE) · 14.3 Transport hazard class(es) · ADR · Class 8 (C5) Corrosive substances. ·Label · IMDG, IATA 8 Corrosive substances. ·Class ·Label · 14.4 Packing group · ADR, IMDG, IATA III · 14.5 Environmental hazards: · Marine pollutant: No · 14.6 Special precautions for user Warning: Corrosive substances. Danger code (Kemler): F-A,S-B · EMS Number: Alkalis · Segregation groups · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. · Transport/Additional information: · Limited quantities (LQ) 5L Code: E1 Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml · Transport category · Tunnel restriction code Е · IMDG 5L · Limited quantities (LO) · Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml · UN "Model Regulation": UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (DISODIUM TRIOXOSILICATE), 8, III

#### **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

(Contd. on page 7)



Printing date 16.03.2018 Version number 3 Revision: 16.03.2018

Trade name: Rhodinette elektrolytische Entfettung, Elektrolytische Entfettung ZFM-Loesung, Rhodinette - Abkochentfettung, Elektrolytische Entfettung ZFR

(Contd. of page 6)

- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

#### · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

\* Data compared to the previous version altered.

GB