




DH1~DH2=16171 (±20)

Coordinates


Mark	X	Y	R
GM	0	0	—
DH1	-7900	-3000	—
DH2	8234	-1900	—
h1	7270	4825	350
h2	7270	-4825	350
h3	-7270	-4825	350
h4	-7270	4825	350
f22	5870	7630	1750
f23	-5870	7630	1750
f24	-5870	-7630	1750
f25	5870	-7630	1750
a1	7200	4787	300
a2	6600	5539	300
a3	2793	7550	500
a4	-2793	7550	500
a5	-6600	5539	300
a6	-7200	4787	300
a7	-7200	-4787	300
a8	-6600	-5539	300
a9	-2793	-7550	500
a10	2793	-7550	500
a11	6600	-5539	300
a12	7200	-4787	300



Section f22~f25



Section h1~h4






Section A-A

Quantity	Cal. No. : 6L95
Unit	1/1000 mm
Scale	9:1
Date	Parts:
Drawn	
Checked	T. Hiruta
Approved	Name: Frame for Case
Material	Drawing No. : 6L95C000
Heat Treatment	
Hardness	General Tolerances
Plating	Dimensions
	Angles
	CITIZEN WATCH CO., LTD. TOKYO, JAPAN


DH3~DH4=22279 (±20)
DH5~DH6=22287 (±20)

Coordinates

Mark	X	Y	R
GM	0	0	—
DH3	10507	3700	—
DH4	-10507	-3700	—
DH5	-8759	6900	—
DH6	8251	-7500	—
b1	8032	7877	500
b2	8624	7608	150
b3	10039	5501	150
b4	10149	4853	500
b5	7809	-6098	500
b6	7535	-6688	150
b7	5416	-10145	150
b8	4768	-10190	500
b9	-8032	-7877	500
b10	-8624	-7608	150
b11	-10039	-5501	150
b12	-10149	-4853	500
b13	-7809	6098	500
b14	-7535	6688	150
b15	-5416	10145	150
b16	-4767	10190	500




*** TIPW 6L95-00A (01) *** (2100 1121) 01-01-11



This drawing is provisional and subject to our reconfirmation and/or revision without notice.


6M95-00A (01) *** (2100 1121) 01-01-11



7			Quantity		Cal. No. : 6M95-00A
6			Unit	1/1000 mm	
5			Scale	5:1	
4			Date		Parts:
3			Drawn		
2			Checked	T. Hiruta	
1			Approved		Name:
Material					Indications for Dial
Heat Treatment					Drawing No. : 6M95D000
Hardness			General Tolerances		CITIZEN WATCH CO.,LTD. TOKYO, JAPAN
Plating			Dimensions		
			Angles		

This drawing is provisional and subject to our reconfirmation and/or revision without notice.

*** T I P W 065-379 (01) *** (2100 1121) 00-06-23



7			Quantity		Cal. No. :
6			Unit	1/1000 mm	
5			Scale	20:1	Parts:
4			Date		065-379
3			Drawn		
2			Checked	T. Hiruta	Name:
1			Approved		SETTING STEM
Material					Drawing No. : 3790S000
Heat Treatment			General Tolerances		CITIZEN WATCH CO., LTD. TOKYO, JAPAN
Hardness			Dimensions		
Plating			Angles		